

SAFETY DATA SHEET Lanolin Oil

CAS NO: 8038-43-5, 70321-63-0			
	Flammability		
NFPA HAZARD			
4 - Extrem			
3 - High	Toxicity $\sqrt{0}$ Reactivity		
2 - Moder			
1 - Slight			
0 - Insigni	ficant Special		
0 - msigni	icant Special		
HMIS HAZARD INDEX (Hazardous Materials Identification System)			
4 - Severe	HMIS RATINGS		
3 - Serious	Health 0		
2 - Moderate	Flammability <u>1</u>		
1 - Slight	Reactivity <u>0</u>		
0 - Minimal	Personal Protection		
0 - Millina			
SECTION I - Company Identification			
Company: Chemistry Co	nnection		
253 Sturgis R			
Conway, AR			
·			
Emergency Telephone Number: (888)	583-7738		
SECTION II - CHEMICAL AND PHYSICAL PROPERTIES			
Chemical Name	Lanolin Oil		
Chemical Name			
	Lanolin Oil		
Hazardous Decomposition Products	Lanolin Oil Carbon monoxide and carbon dioxide from burning		
Hazardous Decomposition Products Incompatibility (Keep Away From)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents		
Hazardous Decomposition Products Incompatibility (Keep Away From) Toxic and Hazardous Ingredients	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None		
Hazardous Decomposition Products Incompatibility (Keep Away From)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous Liquid	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/ml	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlBoiling Point	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlBoiling PointMelting Point	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlBoiling PointMelting PointSolubility in Water (by weight %)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous IngredientsFormViscous LiquidDensity g/mlBoiling PointMelting PointSolubility in Water (by weight %)Volatile (by weight %)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble Not applicable		
Hazardous Decomposition Products Incompatibility (Keep Away From) Toxic and Hazardous Ingredients Form Viscous Liquid Density g/ml <th>Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble Not applicable Not applicable</th>	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble Not applicable Not applicable		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlViscous LiquidBoiling PointMelting PointSolubility in Water (by weight %)Volatile (by weight %)Volatile (by weight %)Evaporation RateVapor Pressure (mm Hg at 20°C)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble Not applicable Not applicable Not applicable		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlViscous LiquidBoiling PointMelting PointSolubility in Water (by weight %)Volatile (by weight %)Volatile (by weight %)Evaporation RateVapor Pressure (mm Hg at 20°C)Vapor Density (air = 1)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble Not applicable Not applicable Not applicable Not applicable		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlViscous LiquidBoiling PointMelting PointMelting PointSolubility in Water (by weight %)Volatile (by weight %)Volatile (by weight %)Evaporation RateVapor Pressure (mm Hg at 20°C)Vapor Density (air = 1)PH (as is)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable		
Hazardous Decomposition ProductsIncompatibility (Keep Away From)Toxic and Hazardous IngredientsFormViscous LiquidDensity g/mlViscous LiquidBoiling PointMelting PointSolubility in Water (by weight %)Volatile (by weight %)Volatile (by weight %)Evaporation RateVapor Pressure (mm Hg at 20°C)Vapor Density (air = 1)	Lanolin Oil Carbon monoxide and carbon dioxide from burning Strong oxidizing agents None <u>Odor</u> Slight Characteristic <u>Color</u> Yellow to Amber 0.94-0.97 >350°F Not applicable Not Soluble Not applicable Not applicable Not applicable Not applicable		



SECTION III - FIRE AND EXPLOSION DATA

Special Fire Fighting Procedures	Self-contained breathing apparatus is recommended for firefighters. Apply water spray or gentle mist, heavy application on hot lanolin could cause foaming. Avoid contact with hot lanolin.
<u>Unusual Fire and Explosion Hazards</u> <u>Flashpoint</u> <u>Flammable Limits %</u> <u>Extinguishing Agents</u>	None >525°F open cup Not data available Dry chemical, water spray, CO ₂ foam or sand/earth. Closed containers exposed to fire may be cooled with water

SECTION IV - HEALTH HAZARD DATA

Chronic Effects of Overexposure

Acute Toxicological Properties Emergency First Aid Procedures Eyes

Skin Contact

If Swallowed

Inhalation

This material does not contain any chemical listed as a carcinogen or potential carcinogen by OSHA No data available

Flush with large amounts of water for at least 15 minutes. If irritation persists, call a physician Not applicable Not applicable Not applicable

SECTION V - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) Protective Gloves Eye Protection Other Protective Equipment None

Usually not needed Usually not needed None



SAFETY DATA SHEET Lanolin Oil

SECTION VI - HANDLING OF SPILLS OR LEAKS

Procedures for Clean-Up	Shut off leak and dike up large spills. Absorb with an inert material such as earth, sand or vermiculite. Sweep up and dispose of in accordance with Federal, State, and Local regulations
<u>Waste Disposal</u>	Dispose of in accordance with all applicable Federal, State, and Local regulations

SECTION VII - SPECIAL PRECAUTIONS

Precautions to be taken in handling and	Keep away from heat and flames
storage	Do no store near strong oxidizing agents
Recommended Storage Temperatures	65°F to 85°F
Other Precautions	Do not keep soiled rags or other absorbent type materials under high temperature and/or within closed containers in the presence of oxygen.

Date August 31, 2012

The statements, technical information, and recommendations contained herein are reliable, but are given without warranty or guarantee of any kind, expressed or implied, and Chemistry Connection assumes no responsibility for any loss, damage or expense, direct or consequential, arising out of their use.