

1 Identification

- · Product identifier
- · Trade name(s): <u>LITSEA CUBEBA OIL</u>
- · CAS Number:
- 68855-99-2
- *EC number:* 290-018-7
- 290-018
- Details of the supplier of the safety data sheet • MANUFACTURER / SUPPLIER:
- · Chemistry Connection
- · 253 Sturgis Road
- · Conway, AR 72034 USA
- · Telephone: (501) 470-9689
- \cdot email: contact@thechemistryconnection.com

Emergency telephone number: CHEMTREC USA 1 800 424-9300


2 Hazard(s) identification

· Classification of the substance or mixture GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Flam. Liq. 4 H227 Combustible liquid. · Label elements · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07, GHS08 · Signal word Danger · Hazard statements H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. · Precautionary statements P210 *Keep away from flames and hot surfaces. – No smoking.* P261 Avoid breathing dust/fume/gas/mist/vapors/sprav P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label).



acc. to OSHA HCS

Trade name(s): LITSEA CUBEBA OIL



68855-99-2 LITSEA CUBEBA OIL · Identification number(s) · EC number: 290-018-7 · Additonal information: Hazardous substances (values can differ from batch to batch): Citral: 70% Limonene: 13% alpha-Pinene: 2% beta-Pinene: 1.5% Myrcene: 1.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.



acc. to OSHA HCS

Trade name(s): LITSEA CUBEBA OIL

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear respirator, gloves and eye protection. Avoid inhalation and contact with skin and eyes.
 Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: Substance is not listed.
- **PAC-2:** Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear gloves and eye protection. Avoid inhalation and contact with skin and eyes. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

no special measures required

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- It is recommended that this material be stored in a cool, dry, well ventilated area, in tightly sealed, full containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.



Reviewed on 04/03/2019

Trade name(s): LITSEA CUBEBA OIL

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: Not required. • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. · Breathing equipment: Not required. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • *Eye protection:* Goggles recommended during refilling. 9 Physical and chemical properties Values are indicative. Consult product specification for product specific ranges. · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Light yellow · Odor: **Characteristic** · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Undetermined. · Flash point: 66 °C (150.8 °F)



Trade name(s): LITSEA CUBEBA OIL

Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible. Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
<i>Density at 20 •C (68 •F):</i>	0.88 g/cm ³ (7.3436 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	0 g/l
Partition coefficient (n-octanol/wa	t er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.


11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

Safety Data Sheet



Trade name(s): LITSEA CUBEBA OIL

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:

· General notes:

hemistry onnectión

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT · ADR, IMDG, IATA	Not regulated UN3082
· UN proper shipping name	
· DOT	Not regulated
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (DIPENTENE)
	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (DIPENTENE)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (DIPENTENE), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (DIPENTENE)
· Transport hazard class(es)	
·DOT	
· Class	Not regulated

US



Safety Data Sheet

Trade name(s): LITSEA CUBEBA OIL

ADR	
· Class · Label	9 (M6) Miscellaneous dangerous substances and articles 9
IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT · ADR, IMDG, IATA	Not regulated III
Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	I of Not applicable.
• Transport/Additional information: • DOT • Emergency Response Guidebook No. :	171
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (DIPENTENE), 9, III



Trade name(s): LITSEA CUBEBA OIL

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara • Section 355 (extremely hazardous substances): Substance is not listed. · Section 313 (Specific toxic chemical listings): Substance is not listed. · TSCA (Toxic Substances Control Act): ACTIVE · Hazardous Air Pollutants Substance is not listed. · Proposition 65 · Chemicals known to cause cancer: Substance is not listed. · Chemicals known to cause reproductive toxicity for females: Substance is not listed. · Chemicals known to cause reproductive toxicity for males: Substance is not listed. · Chemicals known to cause developmental toxicity: Substance is not listed. · International Chemical Inventories · DSL Canadian Domestic Substances List Substance is listed. · Australian Inventory of Chemical Substances Substance is listed. · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07, GHS08 · Signal word Danger · Hazard statements H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. · Precautionary statements P210 Keep away from flames and hot surfaces. - No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P331 Do NOT induce vomiting. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Chemical safety assessment. If Chemical Sufery Hissessment has h

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Date of preparation / last revision 04/03/2019 / 10

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

Safety Data Sheet





Trade name(s): LITSEA CUBEBA OIL

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 • * Data compared to the previous version altered. US